



इन्दिरा गांधी कर्मचारी राज्य बीमा अस्पताल
I. G. E. S. I. HOSPITAL

झिलमिल, दिल्ली-110095
JHILMIL, DELHI-110095

Tel. : 011-22151329
Fax : 011-22167518

DM (H)-JMD-38(12)/Medical Furniture/Store/2011
Ref. No.....

Dated 1/8/2011.....

MEDICAL STORE

LIMITED TENDER FOR

Medical Furniture Items

To,

M/s _____

Medical Superintendent, I.G. ESI Hospital, Jhilmil, Delhi invites Limited tender for Medical Furniture Items (**Annexure-I**) . Terms and Conditions and specifications (**Annexure-II**) detailed at page no. 1 to 4 enclosed. Tender should be submitted in sealed envelope & subscribed a "**Tender for (Medical Furniture Items)**" in the office of M.S. I.G. ESI Hospital, Jhilmil, Delhi in the tender box placed in the chamber of Dy. Medical Superintendent on **dated -25/8/2011 from 9 A.M. to 3P.M.** and on dated **26/8/2011 till 1.00 P.M.** In case the Tender is sent by post it must reach in the office of M.S. by dated **26/8/2011 up to 1.00 P.M.** Proof of postage won't be considered as a claim for timely submission of tender. The tender shall be opened on dated **26/8/2011 at 2.00 P. M.** in Hospital Committee Room in presence of tenderers or their representative who wish to be present. In case **26/8/2011** is declared holiday then bid will be opened on next working day at the same time and venue.


Dy. Medical Superintendent.

TERMS AND CONDITIONS

1. Sealed Limited tenders are invited from the reputed firms as well as authorized distributors/stockiest for **Medical Furniture items.**(ANNEXURE-I) The specification for the same are Enclosed (ANNEXURE-II).
2. Any conditional acceptance is liable to rejection of tender.
3. EMD Rs. 20000/- (Twenty Thousand only) shall be deposited by the tenderer (**except Govt. Agencies**) by enclosing Demand Draft/Bankers Cheque only in favour of 'ESI Fund A/C No. 1', IG ESI Hospital, Jhilmil, Delhi which shall be refundable to bidders without any interest after finalization of tender
4. **All pages of tender document submitted should be numbered & signed by authorized signatory of participating firm with seal.**
- 5 Working demonstration/sample of the quoted item shall be provided at this Hospital whenever asked for.
- 6 Successful tenderer shall supply the material as per supply order on the rates quoted by them and approved by the competent authority of this hospital.
- 7 Taxes, if applicable, shall be as notified by Govt.
- 8 Tenderer must provide Delhi address, if any, along with the telephone no. and fax no. with tender for all correspondence.
- 9 Rates should be quoted for **F.O.R. destination including of installation charges.**
- 10 **The rates should not be higher than quoted in any other organization/institution (Certificate may be enclosed).**
- 11 A certificate about satisfactory performance of the equipment duly authenticated by other existing users of the equipment.
- 12 The price of AMC/CMC for five year after expiry of warranty/guarantee period should be given in the tender (if applicable)
- 13 Any other accessories required for equipment may also be quoted.
- 14 Catalogue/literature make of model should be enclosed.
- 15 Validity of quotation shall be for one year. Firm quoting validity less than one year will be rejected.
- 16 Warranty period will be commence from the date of installation.
- 17 Payment shall be released after satisfactory installation/inspection of the item.
- 18 The successful tenderer shall supply the articles within six weeks from the date of issue of supply order.
- 19 Tenders in sealed envelope super scribed as "**Medical Furniture items**" can be dropped in the tender box kept in chamber of **Dy. Medical Superintendent** of this Hospital, on **25/8/2011** between **9.00 A.M. to 3.00 P.M.** and on dated **26/8/2011 up to 1.00 P M.** No tender thereafter shall be accepted. The tender shall be opened on **26/8/2011 at 2.00 PM** in the Committee Hall of this hospital in presence of tenderers or their representatives who wish to be present. In the event of 26/8/2011 being declared a holiday, the tender will be opened on next working day at same time and place.
- 20 If the tender is sent by post/given personally it must be received in office of Medical Superintendent on **dated 26/8/2011 by 1.00 PM** Proof of postage won't be considered as evidence for timely submission of tender.
- 21 All disputes subject to Jurisdiction of Delhi only.
- 22 M.S. reserves the right to accept or reject any or all tenders without assigning any reason thereof.

DY.MEDICALSUPERINTENDENT

ANNEXURE-I

List of the Medical Furniture Items & their quantities

S No	Name of furniture	Proposed quantity
1	Patients Bed with mattress	40
2	Fowlers Bed with mattress	5
3	Semi Fowlers Bed with mattress	5
4	Bed side locker	50
5	Foot step (Double steps)	10
6	Patient Stretcher on trolley (regular) with mattress	5
7	Bed Side screen(three folds)with curtains	20
8	Wheel Chair(folding)	5
9	I V Stands	50
10	Medicine Trolley	5
11	Dressing Trolley	5
12	Visitor's Stool (S S)	25
13	Revolving Stool	30
14	Over Bed table	10
15	Bed Pan Male	30
16	Bed Pan (Female)	15
17	Oxygen Cylinder Trolley Push Type for B Type Cylinders	10
18	Urine Pot (male)	20
19	Urine Pot (Female)	15
20	Case Sheet Holder (S S)	50
21	Basin Stand Single	20

**** Note:- A Rate contract for the period of two year will be made for the Supply of above items besides the above quantities**

DY.MEDICALSUPERINTENDENT

ANNEXURE-II

SPECIFICATIONS OF THE MEDICAL FURNITURES

1. **Patients BED with Mattress**
Frame work made of rectangular CRC tubular pipe minimum of 2" × 1" × 6 gauges with perforated CRCA 18 gauge thick Single section Top. Tubular Head and Foot bows in 1 ¼" × 18 gauge vertical, ¾" × 18 gauge vertical and 1" × 18 gauge horizontal CRC round steel pipe fitted with rubber shoes. Bed also provided four side Drip Rod locations and with one double hook S.S. Drip Rod. Bed also provided four S.S. mattress Guard rails Epoxy powder coated paint finish.
Size: 203 L × 90W × 60H Cms.
Overall Size: 203 L × 94W × 60H Cms.
Coir Mattress covered with rexine form cloth water proof in 4" thick Size: 75" × 36"
2. **FOWLER BED with Mattress**
Frame work of rectangular CRC tubular pipe minimum of 2" × 1" × 16 gauge, perforated CRCA 18 gauge Four-Sections sheet Top. Backrest & Knee rest sections maneuvered by two separate screw. Tubular head and foot bows in 1 ¼" × 18 gauge CRC round tubular pipe of unequal height with vertical 18 gauge tube supports, fitted with four 10 cms. Dia swiveling castor wheels all with brakes. Provision for four saline rod locations & provided with one stainless steel Double Hook Saline Rod.
Bed also provided S.S. Mattress guards rail. Epoxy powder coated paint finish.
Size: 203L × 90W × 60H cms.
Overall Size: 203L × 94W × 60H cms.
Four-Section rubber foam mattress 4" thick covered with superior quality Water-proof rexine foam cloth. Size: 75" × 36".
3. **SEMI-FOWLER BED**
Frame work made of rectangular CRC tubular pipe of 2" × 1" × 16 gauge with perforated CRCA 18 gauge thick **Two-section Top**. Backrest section maneuvered by crank mechanism. Tubular Head and Foot bows in 1 ¼" × 18 gauge vertical, ¾" × 18 gauge vertical and 1" × 18 gauge horizontal CRC round steel pipe fitted with rubber shoes. Bed also provided four side Drip Rod locations and with one double hook S.S. Drip Rod. Bed also provided four S.S. mattress Guard rails Epoxy powder coated paint finish.
Size: 203L × 90W × 60H Cms.
Overall Size: 203L × 94W × 60H Cms.
Two-Section rubber foam mattress 4" thick covered with superior quality water proof rexine foam cloth Size: 75" × 36"
4. **BED SIDE LOCKER**
Machine Pressed CRCA sheet box with door having ventilating louvers and locking knob. Stainless Steel top. Assembled on 1" × 18gauge CRC steel tubular pipe fitted with rubber shoes. Epoxy powder paint finished.. Size: 16" × 16" × 32"
5. **FOOT STEP (Double Steps)**
Steel tubular frame work with two alluminium steps inlaid with antistatic rubber mat top fixed with in aluminium frame. Legs fitted with rubber shoes. Epoxy powder Coated Finish Overall. Size: 51L × 20.5W × 23/45H Cms.
6. **PATIENTS STRETCHER ON TROLLEY(REGULAR) WITH MATTRESS**
Frame work made of 1 ¼" × 16 gauge vertical and 1" × 18 Gauge horizontal round tubular pipe, mounted on 15 Cms dia swivel castor wheels. Removeable dished stretcher top of 20 gauge thick CRC steel sheet supported on trolley frame with two sides. S.S. push Handles. Trolley also provided two side saline rod locations and one S.S. single hook Drip Rod. Epoxy powder coated paint finish. Trolley also provided 1 ½" thick rubber foam mattress covered with superior quality rexine foam cloth, water proof, electrically sealed. Size: 203L × 56W × 82H Cms.
7. **BEDSIDE SCREEN (THREE FOLDS with curtains)**
Steel tubular frame work with three folds. Middle span 122 cms. Wide mounted on four 5 cms. Dia swiveling castor. Side folds 60 cms. Wide, each rotating on one 5 cms dia swiveling castor. Supplied with spring cords and cloth curtains. Epoxy powder Coated Finish. Overall. Size: 168 H × 244 W
8. **WHEEL CHAIR (FOLDING)**
Strong and CRC tubular work of 1" × 18 gauge and ¾" gauge round pipe fitted with good quality of canvas seat & Back and of Size: 43 to 50 Cms. Square Shape. Aluminium casted foot rest folding type. Chair fitted with two cycle wheels fitted with solid rubber tyres and Nickle plated self propelling loops. Rear wheel of size 24" diameter with provision of two side breaks. Front castor wheel approx. 5" dia. Epoxy powder coated paint finish.

- 9 - I.V. STAND**
Strong 1 ¼" × 16 gauge S.S. tubular construction mounted on five pronged epoxy painted base, fitted with 5 cms. Dia swiveling castors. S.S. Drip Rod with double hooks. Height adjustable from 137 to 243 cms.
- 10 MEDICINE TROLLEY**
Frame work of CRC tubes mounted on 10 cms castors. Two SS shelves with three side railing on top shelf. Two drawer under the each shelf. Trolley also provider FOUR DRAWERS. Epoxy powder Coated Finish Overall Size: 76L × 46W × 81 Hcms.
- 11 DRESSING TROLLEY**
Frame work made of 1" × 16 gauge thick CRC pipe and ¾" × 18 gauge CRC Pipe mounted on 10 Cms dia Swivel castor wheels. Two S.S. shelves in heavy gauge thick sheet, S.S. Guard Railings on all four sides on upper shelve and lower shelve and S.S. push handle. Trolley also provided Brackets for bucket and bowl with one S.S. bucket with cover and S.S. bowl. Epoxy powder Coated Finish Overall. Size: 68L × 51W × 82H Cms.
- 12 STOOLS (Stainless Steel)**
CRC Tubular frame fitted with Rubber stump. Stainless Steel sheet duly double press bent. Pre-treated and Epoxy Powder coated. Size: 12" × 12" × 20"
- 13 REVOLVING STOOL**
Four legged steel tubular frame work. Stainless steel revolving top. Screw based height adjustment from 45 to 68 cms. Stainless-steel foot ring fitted with legs for footrest. Legs fitted with rubber shoes. Epoxy powder Coated Finish.
- 14 OVERBED TABLE**
Steel tubular frame work mounted on four 6.5 cms. Dia swiveling castors. Laminated board top of size 76L × 45W cms. Size: 106L × 45W × 101H cms.
- 15 BED PAN FEMALE (S.S)**
- Should be made of good quality of stainless steel and must be rust proof
- 16 BED PAN MALE (S.S.)**
Should be made of good quality of stainless steel and must be ust proof
- 17 CYLINDER TROLLEY PUSH TYPE-**
Steel tubular frame work fitted with two 10 cms. Dia swiveling castors. Epoxy powder Coated Finish Overall. Size: 106H cms.
- 18 URINAL FEMALE (S.S.)**
Should be made of good quality of stainless steel and must be rust proof
- 19 URINAL MALE (S.S.)**
Should be made of good quality of stainless steel and must be rust proof
- 20 CASE SHEET HOLDER :- (S S)**
Should be made of good quality of stainless steel with H- 14",W- 9"must have a good quality of clamp for holding papers on Top of the case sheet holder
- 21 BASIN STAND:-**
Three leg frame mounted for 5 cm dia castors with one 35 m S S Basin Hight 84 cms pre treated and Epoxy powder quoted

DY.MEDICALSUPERINTENDENT